


SECTION X-X - 1m²



SECTION X-X - 1.5m²

IF IN DOUBT ASK
 DO NOT SCALE

IT IS THE RESPONSIBILITY OF THE KERB DESIGNER TO ENSURE THE KERB WILL BE STRUCTURALLY ADEQUATE TO HOLD THE ROOFLIGHT. KERBS SHOWN ON ROOFLIGHT SOLUTIONS' DRAWINGS ARE FOR ILLUSTRATION PURPOSES ONLY.

Rooflight Solutions would advise an installation with a minimum pitch of 5° for rooflight units to minimize water pooling. Whilst the product can be installed flat without detriment to the warranty, Rooflight Solutions cannot be held responsible for any excessive pooling of water to the surface of the rooflight post installation, if installed without an adequate fall.

THIS DRAWING MUST NOT BE COPIED OR PASSED TO A THIRD PARTY WITHOUT WRITTEN CONSENT FROM ROOFLIGHT SOLUTIONS

CHECKED
 DATE
 DRAWN D. PUGH
 DATE 20-10-2016

TOLERANCE UNLESS OTHERWISE STATED ±5
 DIMENSIONS IN MM
 SCALE 1:4 @ A1

MATERIAL ALUMINIUM + GLASS
 FINISH POLYESTER POWDER COATING

REV	AMENDMENTS	SIGNED	CHECKED	DATE



TITLE: HINGED AOV FLATGLASS
 EN 12101 COMPLIANT SMOKE VENT

Rooflight Solutions
 44 BERRY STREET, WOLVERHAMPTON, WV1 1HA.
 Telephone: 0800 9997774. Email: sales@rooflightsolutions.co.uk
 Web: www.rooflightsolutions.co.uk

DRAWING N°:
RG-80-311
 SHEET 3 OF 3

A1 REV